

Figure 1 A



Figure 1 B


Incident Light
Polarized
Perpendicular
To Grating
Reflected Light
Grating Fill Layer
Grating Structural Layer
Substrate

Figure 2.



Figure 3A



Figure 3B

Figure 3



Figure 4.



Figure 5.

Amine

➢Sulfo-succinimidyl-6-(biotinamido)hexanoate (Sulfo-NHS-LC-Biotin)

•Streptavidin/avidin then biotinylated molecule



➢N,N'-disuccinimidyl carbonate (DSC)

•-NH_2 non-cleavable



➢Dimethyl pimelimidate (DMP)

•-NH_2 non-cleavable



➢Dimethyl 3,3'-dithiobispropionimidate (*DTBP*)

•-NH_2 cleavable



➢1-Ethyl-3-(3-Dimethylaminopropyl)carbodiimide Hydrochloride (EDC) & *N*-Hydroxysulfosuccinimide (Sulfo-NHS)

•-COOH





➢Sulfo-succinimidyl 6-[a-methyl-a-(2-pyridyl-dithio)toluamido]hexanoate (Sulfo-LC-SMPT)

•-SH, cleavable



➢Sulfo-succinimidyl 4-(N-maleimidomethyl)cyclohexane-1-carboxylate (Sulfo-SMCC)

•-SH, non-cleavable



➢N-(ß-Maleimidopropyloxy) succinimide ester (BMPS)

•-SH, non-cleavable



Aldehyde ➢Directly with aldehyde or first amino then aldehyde

•-NH_2

Ni(II) ➢Using nitrilotriacetic acid (NTA) group, which forms a chelate with Ni(II)

•His-tagged molecules

Figure 6



Figure 7A



Figure 7B



Figure 7C

Figure 7



FIGURE 8


Grating structure
Microarray location without affinity-adsorbed molecules
Microarray locations with affinity-adsorbed molecules

FIGURE 9



Figure 10A

Figure 10B

Figure 10


1 mm² chip
with 50 spots
• Dip into 96-well plate
• Perform 4800 assays

Figure 11



FIGURE 12



FIGURE 13



FIGURE 14



FIGURE 15



FIGURE 16


200 μm
Grating
Pattern
Embossed
On Fiber Tip
Fiber tip
Incident Light
Reflected Light
Receptor
Coating
Grating

Figure 17


Light Source
Spectrometer
Illuminating Fiber
Collecting Fiber
Fiber Coupler
Counter-Propagating Fiber
Sensor

Figure 18


Peak Wavelength
Wavelength (nm)
813
812
811
810
809
808
807
806
805
804
0
0.2
0.4
0.6
0.8
1
1.2
Angle (degrees)

Figure 19


Spectrometer
Collecting Fiber
Illuminating Fiber
Light Source
Beam Splitter Prism
Sensor

Figure 20



Figure 21



Figure 22

Figure 23



Figure 24


Albumin Deposition on Resonant Reflector
0.02 ug/mm^2 Albumin
2.5 ug/mm^2 Albumin
Normalized Output (arbitrary units)
1.20
1.00
0.80
0.60
0.40
0.20
0.00
350
400
450
500
550
600
650
700
750
Wavelength (nm)

Figure 25

Figure 26


Resonant Reflector Measured in Water
1.20
1.00
0.80
0.60
0.40
0.20
0.00
Output (arbitrary units)
400
420
440
460
480
500
520
540
560
580
600
Wavelength (nm)
Untreated
0.02 ug/mm^2 Albumin

Figure 27

Bacteria immobilization on structure



Figure 28



Figure 29


Peak Wavelength (nm)
810
805
800
795
790
785
780
775
0
100
200
300
400
500
600
700
800
Protein Coating Thickness (nm)


Incident Light
Reflected Light
t_{bio}
n_{bio}
t_1
t_2
t_3
n_1
n_2
n_3
$n_{substrate}$

FIGURE 30


Reflected Resonance with Deposited Protein
Protein Thickness (nm)
0
1
5
10
50
1.2
1.0
0.8
0.6
0.4
0.2
0.0
Refl ct d Intensity
803
804
805
806
807
808
809
810
811
Wavelength (nm)

Figure 31


Resonant Peak Wavelength Dependence on Deposited Protein Thickness
Peak Wavelength (nm)
810.0
809.5
809.0
808.5
808.0
807.5
807.0
806.5
806.0
805.5
805.0
0
10
20
30
40
50
60
70
Protein Coating Thickness (nm)

Figure 32



Figure 33



Figure 34

Figure 35


780.6
780.4
780.2
780.0
779.8
779.6
779.4
779.2
779.0
778.8
778.6
Peak Wavelength (nm)
0
20
40
60
80
100
120
BSA Concentration in Water (mg/ml)

Figure 36


3 µl solution applied to surface and allowed to dry
Peak Wavelengt Shift (nm)
0
2
4
6
8
10
12
0.0001
0.001
0.01
0.1
1
10
100
1000
10000
100000
BSA concentration (µg/ml) in PBS

Figure 37A



Figure 37B




Streptavidin applied 3 µl/spot
789.8
789.7
789.6
789.5
789.4
789.3
789.2
789.1
789.0
788.9
Peak Wavelength (nm)
0
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
.1.8
Streptavidin Concentration (µg/ml)

Figure 38A

Figure 38B





Figure 39A



Figure 39B

Figure 39



Figure 40A



Figure 40B

Figure 40



Figure 41A



Figure 41B

Figure 41



Figure 42A

Figure 42B

Figure 42



Figure 43A



Figure 43B

Figure 43


Addition of 100 μg/ml anti-goat IgG at t=0
Peak wavelength (nm)
776.2
776.1
776.0
775.9
775.8
775.7
775.6
775.5
775.4
0
6
12
18
24
30
Time (min)

Figure 44A

Figure 44B




778.2
778.0
777.8
777.6
777.4
777.2
777.0
776.8
Peak wavelength (nm)
Addition of Pepsin (1 mg/ml) at t=0
0
6
12
18
24
30
Time (min)

Figure 45A

Figure 45B




Curve-fit Comparisons
Data
Parabola
Exponential
Magnitude
Wavelength (nm)
3000
2800
2600
2400
2200
2000
1800
1600
1400
1200
772
774
776
778
780
782
784
786

Figure 46


Peak Locations
782.6
782.4
782.2
782
781.8
781.6
781.4
781.2
781
780.8
Wavelength (nm)
0
100
200
300
400
500
600
700
800
Variance

Figure 47



Material 1 = Electrical Insulator (photoresist, epoxy, glass)
Material 2 = Indium tin oxide conductor
Substrate = Glass

FIGURE 48

Concentric Circle Design



Figure 49

Figure 50

Hexagonal Grid Design



Figure 51


Plastic sensor 041107 expt 2 5-24-01
Peak wavelength shift (nm)
0.08
0.07
0.06
0.05
0.04
0.03
0.02
0.01
0
0.0686
0.0039
0
Avidin
Avidin + BSA
Avidin + biotin-BSA


Light Source
(100)
Scanner
(200)
(300)
Optical System
Signal Detector
(500)
(400)
Biosensor

Figure 52